



www.stucchi.net



ST-ART C5/C10

Wheeled unit for suction and filtration of welding fumes.

TPOLOGY	mobile extractors
USAGE	welding fumes
DIMENSIONS	756 x 615 x 1069 (2760 with arm)
WEIGHT	140 Kg




Stucchi 1950

ST-ART C5/C10

TECHNICAL DATA

MOTOR POWER	1.5 Hp (1.1 kW)
RPM	2800
VOLTAGE	400 v / 50 Hz / 3 Ph
CURRENT DRAW	2,3 Amp
FLOW RATE	1450 m³/h
ARM	Ø 150 mm - L. 3 m
NOISE	72 dB(A)
POWER	3 Ph + N + T



SUCTION ARM LENGTH 3 M.

CONTROL PANEL WITH COUNTER AND SIGNAL LIGHTS


MACHINE HANDLES

FILTRATION SYSTEM INCLUDING ACTIVATED CARBON



ST-ART C5/C10

FILTER DATA



	ST-ART-C5	Ref. Drawing	Nr. Parts	Code
PREFILTER 1	STEEL MESH FILTER (G2 - EN779)	1	1	PRE-MA-01
PREFILTER 2	CORRUGATED FILTER (G4 - EN779)	2	1	PRE-M5-01
FILTER	POCKET FILTER (F9 - EN779)	3	1	FT-287-F9
FILTER CA	ACTIVATED CARBON FILTER (2 CELLS, 5 Kg IN TOTAL)	4	2	FCA-001

	ST-ART-C10	Ref. Drawing	Nr. Parts	Code
PREFILTER 1	STEEL MESH FILTER (G2 - EN779)	1	1	PRE-MA-01
PREFILTER 2	CORRUGATED FILTER (G4 - EN779)	2	1	PRE-M5-01
FILTER	POCKET FILTER (F9 - EN779)	3	1	FT-287-F9
FILTER CA	ACTIVATED CARBON FILTER (2 CELLS, 10 Kg IN TOTAL)	4	2	FCA-002