



ESM-T

SELECTOR ON/OFF MANUAL SUCTION

N 1 CONTROLLED DRY AIR AND CONTROL PRESSURE GAUGE

N 2 AUTOMATIC AIR FOR TOOLS

N 2 AUTOMATIC 230V SOCKET FOR TOOLS

N 2 SUCTION NOZZLE

N 2 TRAP, SUCTION MANUAL CLOSING SYSTEM

ESM-T

MULTIFUNCTIONAL HEXAGON FOR THE DISTRIBUTION OF ELECTRIC AND PNEUMATIC ENERGY, AND VACUUM.

TRAP, SUCTION
MANUAL CLOSING
SYSTEM

CONTROL PRESSURE
GAUGE

TRAP, SUCTION
MANUAL CLOSING
SYSTEM

SELECTOR ON/OFF
MANUAL
SUCTION

230V SOCKET
FOR TOOLS

SUCTION
NOZZLE

GETTO D'ARIA
SECCA REGOLABILE

AUTOMATIC AIR
FOR TOOLS

230V SOCKET
FOR TOOLS


SUCTION NOZZLE



ESM-T



THE HEXAGON-SHAPED SERVICE CONTROL UNIT IS THE IDEAL PRODUCT AS A TERMINAL OF THE ARTICULATED ARMS (1) BUT ALSO AS A PENDANT SATELLITE (2) AND FOR THE INSTALLATION IN WALL (3).



Multifunctional hexagons are very polyvalent products. The ESM-T model is suitable for two workstations, designed with two suction inlets in the lateral part and with a manual device for the interception of the suction, air outlets and electrical sockets dedicated for the connection to the Stucchi's vacuum-cleaning central unit and to allow the automatic start of the machine. It will be possible to activate the suction also through the selector AUTO/MAN (O/I) installed on the cover. It's equipped with 2 supplementary outlets of compressed air, one adjustable, with a monitoring manometer, the other direct.