



www.stucchi.net



MI-JOLLY COMBI

VOLTAGE	230 V 50Hz + 400 V 50Hz
SUCTION VOLUME	2000 M³/h
SANDER SUCTION VOLUME	35 M³/h
VACUUM TURBINE	750 W - 3 speeds
SIZES	800 X 1000 X 900 mm
WEIGHT	107.5 Kg
OPTIONALS	Wheels, External Exhaust



Stucchi 1950

MI-JOLLY COMBI

SUCTION BENCH FOR SPECIAL WORKS + INTEGRATED SANDING SYSTEM EQUIPPED WITH HOSE AND SANDER. VERTICAL CARTRIDGE FILTER TO COLLECT DUST IN THE REMOVABLE POCKETS WITH MANUAL OPENING. MANUAL START.

Suction bench with reduced dimensions, the model MI Jolly is an independent working station, designed for small 72dB, with a rubber-coated flat surface anti-slip and scratch resistant. Its reduced dimensions and the installation on wheels allow an easy handling also in small areas.

The MI Jolly Combi version has double suction, one obviously on the suction surface and the second one connected with an orbit sanding system, inside the bench itself, you will find an orbit sander and a suction surface in one product, removing the produced dust at 100%.

Like all our benches, also the MI Jolly version, is equipped with filters of a F9 filter class, perfects for sanding dust, but it is possible to build different types, H class for dusts dangerous for the health, ATEX certified for potentially explosives dusts and/or even use some pre-filters for different needs, like paint and spray hood, like a metallic mail for a protection against sparks for grinding and deburring with abrasives.



MI-JOLLY COMBI



MI Jolly Combi with double suction, one on the suction surface, the second through a sander. Inside the bench there is a sanding system exclusively powered by completely independent compressed air, it will thus be possible to have a sander and surface with suction in a single product, eliminating 100% of the dust produced.

Whenever there is the need to use the bench for bigger components, bigger surfaces on the flat surface, it is possible to equip the bench with his useful extensions, MI- Jolly Extension, easy to apply and even more easy to use. The extensions of this bench allow to extend the flat surface for a maximum of 1,5 mt each side, and when needed, to make higher the surface for a maximum of 70cm, it is possible to build an extension on each side.

